# **CHROMATOREX**

Silica gel for chromatography




## **BUSINESS FOCUS**

**Fuji Silysia Chemical Ltd.** was established in 1965, based on a solid foundation since 1932 with the manufacture of sodium silicate under the company name Takahashi Water Glass Manufacturer. Ever since 1965, Fuji Silysia Chemical Ltd. has been devoted to the development of specialty silica gels for many industrial applications.

Our main products have earned a stellar reputation because of their quality, and each occupies the largest share in its

respective market. Fuji Silysia Chemical Ltd. believes that the application of silica will spread even further into various fields as industrial chemical technology develops.

Silica has enormous future growth potential. In order to meet the needs of the next generation, we are now stressing the development of innovative products which can immediately respond to novel situations in an ever-changing world.



## THE SILICA NETWORK

## One Application, One Grade, Chromatorex







Greenville, NC, USA



Pithiviers, France

Silica gel is the most widely used substrate for **Liquid Chromato-graphy** stationary phases. Its physical and chemical properties make it suitable for a wide variety of analytical and preparative separations.

Silica gel also provides outstanding characteristics regarding selectivity, capacity, and efficiency for all types of chromatography.

**Spherical** silica gels consist of rigid beads, manufactured by dry or wet processes, capable of withstanding high flow rate and high pressure.

**Granular** (or irregular) silica gels are produced by batch gelling, and then milled to obtain small particles, and these products are robust only at small pore sizes. Granular silica gels are widely used in industrial separations and are economical for single use applications.

Silica gel surfaces exhibit high chemical activity with surface hydroxyl groups determining adsorption characteristics. It also provides an excellent support for chemically bonded functional groups.

Of the 14 product lines manufactured by Fuji Silysia Chemical Ltd., **Chromatorex** is the chromatography product line covering all fields of liquid chromatography from HPLC / UHPLC, flash, semi-preparative, and preparative to pilot and industrial. Fuji Silysia Chemical Ltd. has production capacity capable of meeting any scale-up size.



## **CHROMATOREX**

A unique source for Liquid Chromatography
Stationary Phases with the widest product range covering

## HPLC ANALYTICAL GRADES

For HPLC, U-HPLC, SFC, Capillary LC

## HPLC SEMI-PREPARATIVE & FLASH GRADES

For semiprep HPLC and SFC

# PREPARATIVE & FLASH GRADES

For Flash LC, SFC and gravity LC

# INDUSTRIAL GRADES

For low pressure LC, gravity mode and batch adsorption LC

# What makes the difference?

#### **SILICA STRUCTURE**

- > Surface Area within the Pores
- > Volume within the Pores
- > Pore Size and Pore Size Distribution
- > Particle Size and Particle Size Distribution

#### **SILICA CHEMISTRY**

- > Silanol Composition
- > Silanol Frequency and Density
- > Type and 'Homogeneity' of Si-OH
- > Silica Surface Acidity

#### **BONDING CHEMISTRY**

- > Type of Functional Group
- > Bonding Process Method
- > Bonded Group Concentration/Density


#### LC VARIOUS MODES

- > NP-Mode on bare & bonded silica
- > RP-Mode on wide range of hydrophobicity
- > HILIC-Mode & IEC-Mode
- > Scavengers



## HOW TO SELECT THE RIGHT PRODUCT

The selection of the right stationary phase for liquid chromatography is dictated by 3 key factors:




Solubility, molecular weight and difficulty of separation

Phase	Hydrophobic	Hydrophobic Retention	Hydrophilic	Extremely Hydrophilic	Acidic	Basic	IEX
C18NE	<b>V</b>	<b>V</b>	<b>//</b>	<b>//</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
C18	<b>V</b>	<b>///</b>	<b>//</b>	<b>✓</b>	<b>V</b>	<b>//</b>	×
C18HE	<b>///</b>	<b>///</b>	<b>//</b>	<b>✓</b>	<b>///</b>	<b>///</b>	×
C18TNE	<b>V</b>	<b>//</b>	<b>///</b>	<b>///</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
C18T	<b>J</b>	<b>///</b>	<b>//</b>	<b>//</b>	<b>V</b> V	<b>//</b>	×
C18THE	<b>///</b>	<b>///</b>	<b>✓</b>	<b>✓</b>	<b>J</b>	<b>///</b>	×
C18A	<b>✓</b>	<b>✓</b>	<b>///</b>	<b>///</b>	<b>✓</b>	<b>✓</b>	×
C18A31	<b>V</b>	<b>//</b>	<b>V</b>	<b>//</b>	<b>V</b> V	<b>//</b>	×
C8	<b>V</b>	<b>/</b> /	<b>V</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	×
C8HE	<b>///</b>	<b>///</b>	<b>✓</b>	<b>✓</b>	<b>V</b>	<b>//</b>	×
C8A/A31	<b>✓</b>	<b>✓</b>	<b>J</b> JJ	<b>///</b>	<b>V</b>	<b>✓</b>	×
Phenyl	<b>V</b>	<b>//</b>	<b>V</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	×
C4	<b>✓</b>	<b>✓</b>	<b>V</b>	<b>✓</b>	<b>V</b>	<b>✓</b>	×
C4HE	<b>V</b> V	<b>//</b>	<b>✓</b>	<b>✓</b>	<b>V</b>	<b>//</b>	×
C4A/A31	<b>✓</b>	<b>✓</b>	<b>///</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	×
Cyano	<b>✓</b>	<b>✓</b>	<b>//</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	×
DIOL	<b>✓</b>	×	<b>//</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	×
Amino	<b>✓</b>	×	<b>J</b> /J	<b>//</b>	×	<b>///</b>	<b>✓</b>
DNH	<b>✓</b>	×	<b>///</b>	<b>//</b>	×	<b>///</b>	<b>//</b>
PEI	<b>✓</b>	<b>✓</b>	<b>///</b>	<b>///</b>	×	<b>///</b>	<b>///</b>
ARG	<b>✓</b>	<b>✓</b>	<b>///</b>	<b>///</b>	<b>J</b>	<b>✓</b>	<b>///</b>
соон	<b>✓</b>	×	<b>✓</b>	<b>✓</b>	<b>✓</b>	×	<b>✓</b>
S03H	✓	×	<b>✓</b>	<b>✓</b>	<b>J</b>	×	<b>V</b>

# HPLC ANALYTICAL GRADES

Super Pure Spherical (SPS) silica product line is dedicated to analytical **HPLC** and **UHPLC** where high efficiency and high mechanical strength is required.



## Features & Benefits

- > SPS purity of SiO2 is higher than 99.99%
- > Selection of particle sizes to optimize efficiency
- > Tight distribution of particle sizes and spherical particle shape to reduce back-pressure
- > Lot-to-Lot consistency for reproducible performance
- > Superior pressure strength
- Consistent and reproducible retention times to allow direct scale-up from laboratory through process applications
- > Large bulk quantities for all applications available, secured lots offered for process use

# HPLC SEMI-PREPARATIVE & FLASH GRADES

**Flash chromatography** is a quick and easy way to separate complex mixtures of compounds.

The silica packed in flash cartridges (or disposable columns) is specifically designed to increase cartridge efficiency while exhibiting moderate back-pressure; and therefore improving resolution.

Fuji Silysia Chemical Ltd. developed silica for highly efficient flash chromatography using 20/45  $\mu$ m and 15  $\mu$ m particles.


For HPLC semi-preparative chromatography, we offer key products such as SPS 10  $\mu m$  and SMB 10  $\mu m$ .

In some case, where the separation is extremely difficult, a SMB 5  $\mu$ m will be the preferable choice.

All these bare silicas can be provided with a large range of bonding chemistries as mentioned here below.

Other bonding on request.






## PREPARATIVE & FLASH GRADES

The Super Micro-Beads (SMB) range, the backbone of our spherical product line for many years, is fully dedicated to preparative HPLC, in particular for DAC columns. The SMB line offers significant advantages including **easy packing**, **high efficiency**, and

high capacity, thus offering economic advantages for large-scale processes.

This product range is also used in great scale for simple and easy flash chromatography.



## Features & Benefits

- > Wide selection of pore sizes to optimize capacity
- > Selection of particle sizes to optimize efficiency
- > Narrow particle size distribution to reduce pressure
- > Lot-to-lot consistency for reproducible performance
- > Bulk quantities for large-scale applications, no scale-up limitation, secured lots offered for process use



## INDUSTRIAL LE GRADES


**Industrial Liquid Chromatography** plays an essential role in many industrial sectors, this technique is used in the chemical, agrochemical, cosmetic, veterinary, pharmaceutical, etc., to purify natural extracts, organic intermediates, drug substances, etc...

When processing chemicals, purification steps are crucial passages in the production, for example, active principles leading to commercial drugs that must contain less than 1% total impurities.

In many applications, the quantities to be purified are very important and this has led to the development of large industrial chromatography columns that can contain


several tens to hundreds of kilograms of stationary phases whose physical and chemical characteristics must be particularly well suited to the purification of the target.

For this Fuji Silysia Chemical Ltd., a global producer of silica and bonded silica has a large number of stationary phases available from kilogram to multi-ton production. This allows us to offer a range of stationary phases optimized and suitable in terms of type and bonding density, particle size, pore diameter and pore volume.




# LC TIPS FOR SCALE UP & SCALE DOWN

## Scale up



CONDITIONS: Column size 4.6 mm x 250 mm; Flow rate 1 mL/min; Temperature 35°C; Solvent 80% MeOH/H20

### Scale down



COMPOUNDS: #1 Uracil, #2 Impurity, #3 n-Ethyl-Benzene, #4 n-Propyl-Benzene, #5 n-Butyl-Benzene, #6 n-Amyl-Benzene

## **KYRAPHARM**

## A Chromatography Purification Service

Since 2013, Fuji Silysia Chemical Ltd. established Kyrapharm at Orgapharm (Axyntis Group) in France, south of Paris, a Chromatography Purification Service Center to offer support to customers.

Whether your needs are big or small, Kyrapharm offers a variety of fully scalable purification services to meet your demands. We have a world-class reputation for purifying chemical compounds and go beyond this to provide custom solutions for our customers including many upstream and downstream activities through the Axyntis Group that add exceptional value for our clients.

With its multi size HPLC columns, Kyrapharm offers purification services from mg to 100's kg scales, adapted to each of your projects.

# Perferming analysis methods 100mg 10g Enantiomer resolution process 100g Enantiomer resolution process 100g Enantiomer resolution process 100g Lindustrial volumes Pre-clinical statches purification LARGE SCALE LC 450

#### www.kyrapharm.com





## Large range of HPLC chromatography for method development, QC and micro-scouting

4 analytical HPLC units allow chromatographic screening and method development before investigating pilot separation.

#### Semi-preparative HPLC and DAC chromatography

After method development and preliminary optimization, in addition if the difficulty is high, a complement of development can be done on 2 semi-preparative DAC columns to control the scale-up of the purification on few grams.

#### Pilot preparative HPLC chromatography

For the pilot scale, a 200 mm diameter DAC column allows the purification a few of 10's grams in a very short time allowing for rapid and economic product evaluation.

#### Industrial preparative DAC chromatography

Finally a 450 mm diameter DAC column completes the KYRAPHARM equipment to produce multi-kilogram lots in a GMP environment.

KYRAPHARM BENEFITS FROM THE EQUIPMENT AND EXPERTISE OF ORGAPHARM'S TEAMS FOR DEVELOPING ORGANIC SYNTHESIS PROJECTS, FROM LABORATORY SCALE UP TO INDUSTRIAL SCALE:

- > R&D and analytical laboratories and an experienced, flexible team, close to the production teams
- > cGMP production units

A cGMP pilot plant enabling intermediate scale-up to be studied and the manufacturing of batches for pre-clinical to commercial phases



#### FUJI SILYSIA CHEMICAL LTD.

Head Office 2-1846 Kozoji-cho, Kasugai-shi, Aichi-Ken Japan 487-0013

#### FUJI SILYSIA CHEMICAL LTD.

Sales Office 23rd floor, Nagoya Intl. Center Bldg. 1-47-1 Nagono, Nakamura-Ku, Nagoya-shi, Aichi-Ken Japan 450-0001

Phone: +81 52 587 0451 Fax: +81 52 587 0455

E-mail: chromato-int@fuji-silysia.co.jp

#### FUJI SILYSIA CHEMICAL S.A.

International Chromatography Center En Budron E9 CH-1052 Le Mont-sur-Lausanne Switzerland

Phone: +41 21 652 3436 Fax: +41 21 652 4737

E-mail: fuji.silysia.sa@fuji-silysia.co.jp

#### www.fuji-silysia.co.jp



We accept no responsibility for the information offered within this text. We offer this information for the consideration of our customers, but we cannot guarantee the accuracy of the information. Customers are advised to make their own tests to determine the effectiveness and safety of the products described within. Unless otherwise stated in writing in conjunction with our conditions of sale, we supply products without warranty; customers assume all responsibility and liability for any loss or damage resulting from handling or use of our products, whether they are used alone or in conjunction with other products. No statement contained within is intended for any use that violates or infringes any statutory obligation or right which belongs to a third party.